

Biotechnological Approaches for Biodiversity Conservation and Sustainable Management of Biological Resources

Jelang Jelku D. Sangma^{1,2,3} 

¹Department of Food Science and Nutrition, University of Agricultural Sciences, GKVK, Bangalore, Karnataka - 560065, India

²Department of Food Science and Nutrition, Eudoxia Research, University, 256 Chapman Road STE 105-4, New Castle, USA

³ICSSR at College of Community Science, Central Agricultural University (Imphal), Tura, Meghalaya – 794005, India

Received 02 January 2026 | Revised 03 February 2026 | Accepted 05 March 2026 | Available Online April 04, 2026

*Corresponding Author: **Jelang Jelku D. Sangma** | Email Address: jelang.jelku3@gmail.com

Citation: Jelang Jelku D. Sangma (2026). Biotechnological Approaches for Biodiversity Conservation and Sustainable Management of Biological Resources. *Biotechnology Archives An International Journal*.

DOI: <https://doi.org/10.51470/BTA.2026.05.01.01>

Abstract

Biodiversity provides the biological foundation for ecosystem functioning, food production, human health and environmental sustainability, yet rapid habitat loss, climate change, pollution, invasive species and overexploitation are accelerating the degradation of biological resources. Conventional conservation approaches remain essential but are increasingly being complemented by modern biotechnological tools capable of detecting, monitoring, conserving and restoring biodiversity at genetic, species and ecosystem levels. Molecular markers, DNA barcoding, environmental DNA, genomic analysis, cryopreservation, tissue culture, assisted reproduction, microbial biotechnology, bioinformatics and emerging genome-editing technologies provide new opportunities for biodiversity assessment and conservation. Biotechnology can also support sustainable utilization of biological resources through the development of bio-based products, microbial inoculants, enzymes, biopolymers and other value-added materials. Environmental biotechnology contributes to habitat recovery through bioremediation, wastewater treatment and restoration of contaminated ecosystems. The integration of biotechnology with ecological monitoring, conservation biology and community participation can improve the effectiveness of biodiversity management while reducing pressure on natural resources. This review discusses major biotechnological approaches for biodiversity assessment, genetic conservation, species recovery, ecosystem restoration and sustainable biological-resource utilization. Future conservation strategies should integrate molecular technologies with ecological knowledge, ethical safeguards, community participation and long-term environmental monitoring.

Keywords: biotechnology, biodiversity conservation, molecular ecology, environmental DNA, genetic conservation, bioremediation.

1. Introduction

Biodiversity encompasses the genetic diversity within species, diversity among species and diversity of ecosystems. It supports ecological processes such as nutrient cycling, pollination, decomposition, soil formation, water purification and carbon sequestration. Biological diversity also provides food, medicines, fibres, industrial raw materials and genetic resources that contribute to human welfare and economic development. However, biodiversity is declining rapidly as a consequence of habitat destruction, overexploitation, pollution, invasive species and climate change. The global assessment of biodiversity has highlighted that human activities have substantially altered terrestrial, freshwater and marine ecosystems and that many components of biodiversity are experiencing serious declines [1]. Conventional biodiversity conservation has traditionally relied on protected areas, habitat management, species protection, captive breeding and ecosystem restoration.

These approaches remain fundamental, but the increasing complexity and scale of environmental change require more precise tools for biodiversity assessment and management. Biotechnology has emerged as an important component of modern conservation because it provides methods for investigating biological diversity at molecular, cellular and genetic levels. The development of molecular biology has transformed the identification and monitoring of organisms [2]. DNA barcoding can assist in species identification, particularly where morphological characteristics are difficult to distinguish. Environmental DNA (eDNA) provides a non-invasive approach for detecting organisms from DNA fragments present in water, soil or other environmental samples. Genomic and metagenomic approaches can provide information about genetic variation, population structure, microbial communities and ecosystem-level biological changes. Biotechnology is also increasingly relevant to the conservation of genetic resources.

Tissue culture, cryopreservation, seed storage, germplasm conservation and assisted reproductive technologies can help maintain genetic material from threatened plants and animals. In some cases, these approaches can complement in-situ conservation by providing additional safeguards against extinction. Environmental biotechnology provides another important dimension. Microorganisms can be used for the degradation of pollutants, restoration of contaminated soils and treatment of wastewater. Such applications can improve habitat quality and consequently contribute to biodiversity recovery [3]. Microbial biotechnology can also reduce dependence on environmentally damaging chemicals through the development of biological fertilizers, biopesticides and other sustainable agricultural inputs. The growing importance of biotechnology in conservation is also reflected in modern biotechnology research, which encompasses environmental biotechnology, agricultural biotechnology, microbial systems, molecular approaches and computational biology.

2. Biotechnology and Biodiversity Assessment

Effective conservation requires accurate information about species distribution, population size, genetic variation and ecosystem condition. Traditional biodiversity surveys based on morphological identification and field observations remain important but may be time-consuming and difficult for cryptic, microscopic or morphologically similar organisms. Biotechnology provides molecular approaches that can improve the speed and accuracy of biodiversity assessment.

2.1 DNA barcoding

DNA barcoding uses short standardized DNA sequences to identify organisms. In animals, mitochondrial genes such as cytochrome c oxidase I are widely used, while different genomic regions are commonly employed for plants and microorganisms.

DNA barcoding has applications in:

- Species identification
- Detection of cryptic species
- Wildlife monitoring
- Identification of invasive organisms
- Authentication of biological products
- Biodiversity inventories
- Conservation genetics

The technique is particularly useful when organisms are present as immature stages or when morphological identification is difficult.

2.2 Environmental DNA

Environmental DNA has become one of the most promising molecular tools for biodiversity monitoring. Organisms continuously release DNA into their surroundings through skin cells, mucus, faeces, gametes and other biological materials [4]. These DNA fragments can be collected from water, soil or sediments and analyzed using molecular techniques.

eDNA can be particularly valuable for detecting:

- Rare species
- Aquatic organisms
- Invasive species
- Threatened species
- Microbial communities
- Species that are difficult to observe directly

The method is non-invasive and can potentially detect species even when population abundance is low.

3. Genomics and Conservation Genetics

Genetic diversity is a fundamental component of biodiversity and determines the evolutionary potential of populations to respond to environmental changes, diseases and other ecological pressures. Small, fragmented and isolated populations are particularly vulnerable to genetic erosion caused by inbreeding, genetic drift and reduced gene flow. These processes can decrease genetic variation and reproductive fitness, potentially reducing the ability of populations to adapt to changing environmental conditions [5]. Conservation genetics therefore plays an important role in identifying genetically distinct populations, assessing their vulnerability and developing strategies for maintaining long-term genetic diversity.

3.1 Population Genomic Analysis

Modern genomic technologies have substantially improved the ability to investigate genetic variation within and among populations. Population genomic approaches use large numbers of molecular markers distributed throughout the genome to characterize population structure, genetic differentiation and patterns of gene flow [6]. These analyses can reveal whether populations are genetically connected or isolated and can identify populations containing unique or rare genetic variants. Such information is valuable for defining appropriate conservation units, determining priority populations and designing management strategies that maintain genetic connectivity. Genomic data can also help identify populations that possess genetic characteristics associated with adaptation to particular environmental conditions, making them important targets for conservation under changing climatic and ecological conditions.

3.2 Assessment of Genetic Diversity

Molecular markers provide quantitative information about the genetic condition of populations. Genetic analyses can be used to estimate allelic diversity, genetic differentiation, levels of inbreeding, gene flow, population connectivity and evidence of genetic bottlenecks. High genetic diversity generally provides populations with greater evolutionary potential, whereas populations with low genetic variation may be more vulnerable to environmental disturbances and emerging diseases. Information obtained from molecular analyses can therefore guide conservation breeding programmes, translocation strategies and population reinforcement efforts [7]. In fragmented landscapes, genetic data can also identify barriers to gene flow and help determine where ecological corridors or habitat restoration could improve connectivity among populations.

3.3 Genomic Resources for Endangered Species

Genome sequencing has created new opportunities for the conservation of endangered and threatened species. Reference genomes can provide comprehensive information about genetic variation, population history and genes potentially associated with environmental adaptation, disease resistance, reproduction and other important biological traits. Comparative genomic analyses can further identify genetic differences among populations and assist in determining which populations should receive conservation priority.

Genomic information may also support captive-breeding programmes by helping managers select individuals that maximize genetic diversity and minimize inbreeding. However, genomic approaches should be integrated with ecological, behavioural and demographic information because genetic diversity alone does not determine population viability [8]. The combined use of genomics, field ecology and long-term population monitoring can provide a more reliable scientific foundation for the conservation and sustainable management of threatened biological resources.

4. Biotechnology for Genetic Resource Conservation

The conservation of genetic resources is essential for maintaining biodiversity, evolutionary potential and the long-term availability of valuable biological traits. Conventional approaches such as seed banks, field germplasm collections and protected populations remain important, but biotechnology has expanded the possibilities for conserving genetic material that is difficult to maintain under conventional conditions. Plant tissue culture, micropropagation, in vitro conservation and cryopreservation are particularly valuable for threatened, rare and economically important plant species. Tissue culture allows rapid multiplication of plants from relatively small amounts of starting material and can support the recovery of species with limited natural regeneration. It can also facilitate the production of disease-free planting material and the maintenance of genetically valuable lines under controlled conditions [9]. Cryopreservation provides an additional long-term conservation strategy in which cells, tissues, embryos, seeds or reproductive materials are stored at ultra-low temperatures, generally in liquid nitrogen. Under appropriate conditions, biological materials can remain viable for extended periods with minimal metabolic activity. Cryobanking can therefore serve as an important safeguard against genetic erosion resulting from habitat destruction, environmental disasters, diseases or population decline. In plants with recalcitrant seeds or species that cannot be effectively conserved through conventional seed storage, in vitro conservation and cryopreservation can be particularly useful. Similarly, conservation of sperm, oocytes, embryos and other reproductive materials can contribute to the maintenance of genetic diversity in threatened animal populations. Integration of these technologies with in-situ conservation is important because ex-situ approaches preserve genetic material but cannot independently maintain the ecological interactions and evolutionary processes occurring within natural ecosystems.

5. Biotechnology for Wildlife Conservation

Biotechnology is increasingly being applied to wildlife conservation through molecular identification, genetic monitoring, reproductive technologies and disease surveillance. Genetic techniques can provide valuable information about population size, genetic diversity, relatedness, migration and connectivity without requiring extensive capture or handling of animals. DNA obtained from hair, feathers, faeces, saliva, shed skin and other biological materials can be used for individual identification and population genetic studies. Such non-invasive approaches are particularly useful for rare and threatened species that are difficult to observe directly. Molecular diagnostics can also facilitate the early detection of infectious diseases, allowing conservation managers to identify pathogens and assess potential risks to vulnerable populations before outbreaks become widespread.

Assisted reproductive technologies provide another important application of biotechnology in wildlife conservation. Techniques such as artificial insemination, semen preservation, embryo transfer and reproductive material cryopreservation may help maintain genetic diversity when natural reproduction is limited by small population size, geographical isolation or reproductive difficulties. These approaches can facilitate the exchange of genetic material between geographically separated populations while reducing the need for physically transporting animals. Genetic information can also support captive-breeding programmes by helping managers select breeding individuals that minimize inbreeding and preserve representative genetic diversity [10]. Nevertheless, biotechnology should complement rather than replace habitat protection and natural population management. Successful wildlife conservation ultimately depends on maintaining viable habitats, ecological interactions and natural evolutionary processes, with biotechnology serving as an additional tool for informed and scientifically based conservation management.

6. Microbial Biotechnology and Biodiversity Conservation

Microorganisms are essential components of ecosystems and contribute to decomposition, nutrient cycling, soil formation and plant productivity. Microbial biotechnology can therefore support biodiversity conservation through both direct and indirect mechanisms [11]. Beneficial microorganisms can be used to improve soil health, plant growth and ecosystem recovery. Mycorrhizal fungi, nitrogen-fixing bacteria and plant-growth-promoting rhizobacteria can support vegetation establishment during habitat restoration. Microbial biotechnology can also reduce environmental pollution through biodegradation.

Table 1. Major biotechnological approaches and their applications in biodiversity conservation

Biotechnological approach	Major application	Conservation benefit
DNA barcoding	Species identification	Improved biodiversity inventories
Environmental DNA	Species detection	Monitoring rare and aquatic organisms
Genomics	Population analysis	Identification of genetic diversity
Tissue culture	Plant multiplication	Recovery of threatened plant species
Cryopreservation	Genetic-resource storage	Long-term conservation
Assisted reproduction	Wildlife breeding	Support for threatened populations
Microbial biotechnology	Soil and habitat restoration	Ecosystem recovery
Bioremediation	Pollutant removal	Restoration of degraded habitats
Bioinformatics	Biodiversity data analysis	Improved conservation planning
Genome editing	Potential trait modification	Emerging conservation applications

7. Environmental Biotechnology for Ecosystem Restoration

Environmental degradation is one of the major causes of biodiversity loss. Biotechnology can contribute to restoration by reducing contaminants and improving environmental conditions.

7.1 Bioremediation

Bioremediation uses microorganisms, plants or biological systems to remove or transform environmental pollutants. Microorganisms can degrade petroleum hydrocarbons, pesticides and other organic contaminants. Phytoremediation uses plants to remove, immobilize or transform contaminants in soil and water. These approaches can be particularly useful in degraded landscapes where conventional remediation is expensive or disruptive.

7.2 Wastewater biotechnology

Biological wastewater treatment uses microbial communities to remove organic matter, nitrogen, phosphorus and other pollutants. Improved wastewater treatment can reduce pollution entering rivers, lakes and coastal ecosystems.

7.3 Restoration of contaminated ecosystems

Combining microbial inoculation, phytoremediation and ecological restoration can accelerate recovery of degraded environments. Such approaches can improve soil quality and facilitate the re-establishment of native plant and animal communities.

8. Biotechnology for Sustainable Management of Biological Resources

Biodiversity conservation must be accompanied by sustainable utilization. Biotechnology can help convert biological resources into useful products while reducing environmental pressure.

Examples include:

- Production of enzymes from microorganisms
- Development of microbial biofertilizers
- Production of biopesticides
- Extraction of bioactive compounds
- Algal biotechnology
- Production of biopolymers
- Fermentation-based food production
- Development of bio-based chemicals
- Conversion of agricultural residues into value-added products

Algal biotechnology is particularly promising because algae can provide biomass, pigments, proteins, lipids, polysaccharides and other valuable compounds. Sustainable cultivation and biorefinery approaches may allow multiple products to be obtained from the same biological resource [12].

The sustainable utilization of biodiversity should, however, avoid overharvesting and genetic erosion. Biotechnology should complement conservation rather than encourage unrestricted exploitation of biological resources.

9. Bioinformatics and Artificial Intelligence in Biodiversity Conservation

The increasing availability of genomic and ecological datasets has created a need for advanced computational approaches. Bioinformatics provides tools for processing DNA sequences, genomic information and molecular data.

Artificial intelligence and machine-learning approaches can support:

- Species identification
- Image-based wildlife recognition
- Habitat classification
- Population modelling
- Distribution prediction
- Genomic analysis
- Disease surveillance
- Environmental monitoring

Combining remote sensing, molecular data and artificial intelligence could provide integrated biodiversity-monitoring systems. Such systems may enable researchers to identify environmental changes earlier and prioritize conservation interventions.

10. Emerging Role of Genome Editing

Genome-editing technologies, including CRISPR-based approaches, represent an emerging area of conservation biotechnology. Genome editing can potentially modify genes associated with disease susceptibility, environmental tolerance or reproductive characteristics.

However, the use of genome editing for biodiversity conservation remains scientifically, ethically and ecologically complex [13-14]. Unintended ecological consequences, gene flow, effects on non-target organisms and governance issues must be carefully evaluated.

Genome editing should therefore not be considered a replacement for habitat protection. Conservation of natural populations and ecosystems should remain the primary strategy, while genetic technologies may eventually provide complementary tools for carefully defined conservation challenges.

11. Community Participation and Ethical Considerations

Biotechnology alone cannot solve biodiversity loss. Conservation outcomes depend on ecological, economic and social conditions. Local communities often possess valuable knowledge about species distribution, seasonal changes and resource use. Community participation can improve biodiversity monitoring and conservation outcomes. Local people can contribute to species inventories, ecological observations, habitat restoration and resource management. Ethical considerations are equally important. Genetic resources and traditional knowledge may have cultural and economic value. Their utilization should respect principles of informed participation, benefit sharing and appropriate access to biological resources [15-17]. The use of genetic technologies also requires transparent governance. Conservation biotechnology should be implemented with appropriate risk assessment, regulatory oversight and consideration of ecological uncertainty.

12. Challenges and Future Perspectives

Despite its considerable potential, conservation biotechnology faces several limitations.

First, advanced molecular technologies can be expensive and require specialized infrastructure. This may limit their application in biodiversity-rich regions with limited scientific resources. Second, molecular detection does not always provide direct information about population abundance or ecological importance [18-20].

For example, detection of DNA does not necessarily indicate whether a population is viable or reproducing. Third, genomic information requires careful interpretation. Genetic diversity alone does not guarantee ecological resilience. Fourth, emerging technologies such as genome editing require extensive ecological and ethical evaluation before large-scale application.

Future conservation biotechnology should therefore emphasize integration rather than technological isolation. Molecular tools should be combined with field ecology, taxonomy, remote sensing, ecological modelling and community knowledge. The development of portable sequencing technologies, automated biodiversity monitoring, AI-assisted species identification and integrated environmental DNA platforms may substantially improve future biodiversity assessment.

13. Conclusion

Biotechnology is becoming an increasingly important component of modern biodiversity conservation and sustainable biological-resource management. Molecular tools such as DNA barcoding, environmental DNA and genomics provide powerful approaches for identifying species, monitoring populations and understanding genetic diversity. Tissue culture, cryopreservation and assisted reproductive technologies can support the conservation of threatened genetic resources, while microbial biotechnology and bioremediation can contribute to ecosystem restoration. At the same time, biotechnology can support sustainable utilization of biological resources through bio-based products, microbial technologies, algal biotechnology and biological processing systems. Computational biology, artificial intelligence and emerging genomic technologies provide additional opportunities for improving biodiversity monitoring and conservation planning. Nevertheless, biotechnology should complement rather than replace conventional conservation. Habitat protection, ecological restoration and sustainable resource management remain fundamental. The most effective future strategy will be an integrated framework combining **biotechnology, ecology, conservation biology, environmental management and community participation**. Such integration can strengthen the capacity to conserve biodiversity while supporting sustainable use of biological resources and long-term environmental resilience.

References

1. IPBES. Global Assessment Report on Biodiversity and Ecosystem Services. Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services; 2019.
2. Convention on Biological Diversity. Kunming-Montreal Global Biodiversity Framework. Secretariat of the Convention on Biological Diversity; 2022.
3. Pörtner HO, Roberts DC, Adams H, et al. Climate Change 2022 Impacts, Adaptation and Vulnerability. Cambridge University Press; 2022.
4. Hebert PDN, Cywinska A, Ball SL, deWaard JR. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B*. 2003;270:313–321.
5. Thomsen PF, Willerslev E. Environmental DNA applications for the monitoring of biodiversity. *Biological Conservation*. 2015;183:4–18.
6. Taberlet P, Bonin A, Zinger L, Coissac E. Environmental DNA for Biodiversity Research and Monitoring. Oxford University Press; 2018.
7. Allendorf FW, Luikart G, Aitken SN. Conservation and the Genetics of Populations. 2nd ed. Wiley-Blackwell; 2013.
8. Frankham R, Bradshaw CJA, Brook BW. Genetics in conservation management recommendations from ten years of genetic research. *Biological Conservation*. 2014;169:1–10.
9. Sarasan V, Cripps R, Ramsay MM, Atherton C, McMichen M, Prendergast G, Rowntree JK. Conservation *in vitro* of threatened plants progress in the past 10 years. *Progress in Plant Science*. 2006;11:3–20.
10. Pence VC. The possibilities and limitations of *in vitro* methods for plant conservation. *Kew Bulletin*. 2011;66:539–547.
11. Bonga JM, Klimaszewska KK, von Aderkas P. Recalcitrance in clonal propagation, *in vitro* storage and cryopreservation of woody plants. *Plant Cell, Tissue and Organ Culture*. 2010;100:255–271.
12. Corlett RT. Plant diversity in a changing world status, trends, and conservation needs. *Plant Diversity*. 2016;38:10–16.
13. Sessitsch A, Mitter B. 21st century agriculture microbial biotechnology and its integration into sustainable agricultural systems. *Soil Biology and Biochemistry*. 2015;82:1–4.
14. Gadd GM. Metals, minerals and microbes geomicrobiology and bioremediation. *Microbiology*. 2010;156:609–643.
15. Seddon N, Chausson A, Berry P, Girardin CAJ, Smith A, Turner B. Understanding the value and limits of nature-based solutions to climate change and other global challenges. *Philosophical Transactions of the Royal Society B*. 2020;375:20190120.
16. Escobar LE, Craft ME. Advances and limitations in conservation disease ecology. *Ecology and Evolution*. 2016;6:1007–1014.
17. Redford KH, Adams W, Mace GM. Synthetic biology and conservation of nature. *Science*. 2013;341:110–111.
18. Piaggio AJ, Segelbacher G, Seddon PJ, et al. Is it time for synthetic biodiversity conservation? *Trends in Ecology & Evolution*. 2017;32:97–107.
19. National Academies of Sciences, Engineering, and Medicine. Gene Drives on the Horizon Advancing Science, Navigating Uncertainty, and Aligning Research with Public Values. National Academies Press; 2016.
20. Díaz S, Settele J, Brondízio ES, et al. Pervasive human-driven decline of life on Earth points to the need for transformative change. *Science*. 2019;366:eaax3100.